## PART 5 - PRICE SCHEDULE (TO BE UTILISED BY THE BIDDERS FOR QUOTING THEIR PRICES)

## PRICE BID SCHEDULE

## COST OF SUPPLY, INSTALLATION, TESTING, COMMISSIONING and INTEGRATION EQUIPMENT FOR AUDITORIUM

	Auditorium (Multipurpose Hall)								
SL No	Type of the Item	Brief Technical Specifications of the Item	Brand Quoted	Model Quoted	Qty	Unit Cost (in ')	GST	Total Cost (in ')	
1	Display	SITC of 84 Inch or above 10 Touch Interactive Display with Wireless Sharing facility, Aspect Ratio of 16:9, 178 Degree Viewing Angle, Resolution of 3840 x 2160 and response time of 8 ms or below, inbuilt speaker, whiteboard pen, with at least 4mm of Toughened Antiglare Glass complete with installation as per the site requirement.			1 Nos				
2	USB & HDMI Camera	SITC of USB 3.0 and HDMI video output interface PTZ Camera, with a Sony 1/2.8 inch image sensor, Full HD 1080p signal output format with a high frame rate of 60 fps, 12x optical zoom is applicable for a medium-size conference room, Viewing Angle: 74°(H) 82°(D), Wide range Pan/ Tilt/Zoom actions: Pan angle from -100° to +100°; tilting angle from -30° to +30°			1 Nos				

3	Digital Signal Processor	S.I.T.C. of Digital Signal Processor with 6 or more, mic/line, balanced/unbalanced input and 4 or more, balanced/unbalanced line-level output, with built-in AEC Frequency Response: 20 Hz to 20 kHz or better, S/N Ratio: >102dB or better, phantom power on all the Input channels. should also have other features like Feedback suppression, level control, dynamics, mixers, delay, and control on RS232/Ethernet complete with installation as per the site requirement.		1 Nos	
4	Cables and Accessories	Various lengths for the project complete with installation as per the site requirement.		1 Nos	
5	Writing Slate	Medium 8.5-inch x 5.3-inch Graphic Tablet		1 Nos	
		10.4 -inch x 7.8 -inch Graphic Tablet		1 Nos	
6	Services / Maintenance	Installation Testing & Commissioning complete as per the site requirement.		1 Nos	
			Classroom	·	·
7	Lapel (Collar Mic)	UHF wireless lapel microphone,12 Channel Present or better, display on Transmitter and Receiver, RF Power output 30mW or Better, Polar Pattern: - Omnidirectional, Carrier frequency range 500Mhz to 865Mhz, Mute Button on Transmitter, Battery Operation Time Minimum 8hr, should have Charging Contact in Transmitter. Receiver dynamic range 80 dB (A-weighted) Or better, switching bandwidth Minimum 40mHz Mhz or better complete with installation as per the site requirement.		1 Nos	
		(Omnidirectional), High max. SPL (127 dB),			

		high SNR, low noise, for presentations or moderations.								
8	Display	SITC of 55 Inch or more Full HD Resolution with HDMI / USB / DVI / VGA / RS232 & RJ45 / Built-in-Speakers complete with installation as per the site requirement.		1 Nos						
	777	Medium 8.5-inch x 5.3-inch Graphic Tablet		1 Nos						
9	Writing Slate	10.4 -inch x 7.8 -inch Graphic Tablet		1 Nos						
	Teaching Rooms									
10	USB Camera	Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients 69° diagonal field of view Rightlight <sup>TM</sup> 2 Technology for a clear image in various lighting environments, even low light Autofocus 1 Omni-directional mic Hi-speed USB 2.0 certified UVC compliant (no software installation required) Universal clip with 360° swivel		16 Nos						
11	Monitor	27 Inch Full HD Monitor with Built-in Speaker VGA HDMI and Table Top Mount		16 Nos						
12	Weiting Clate	Medium 8.5-inch x 5.3-inch Graphic Tablet		16 Nos						
12	Writing Slate	10.4 -inch x 7.8 -inch Graphic Tablet		16 Nos						
13	Headphone	Wired Headset with Mic (Noise Cancelling Headphones)		16 Nos						

14	Wireless Presenter	Connection Type: Bluetooth low energy technology and 2.4 GHz wireless connection, Wireless range: 20 m 4, Indicator Lights (LED), Battery and Connectivity LED, Battery Life: 12 months + 1 extra week without laser pointer 5 Laser: Class 2 laser, Max output: less than 1 mW, Wavelength: 640 - 660 nm (red light).		02 Nos		
15	Wireless Keyboard Mouse (Combo)	Keyboard Connection Type: Bluetooth® Smart and 2.4GHz wireless connection, Wireless range: 10 m  Mouse Connection Type: Bluetooth Smart and 2.4GHz wireless connection, Wireless range: 10 m	A COST A DSTD A	02 Nos		
TOTAL COST (in Rs ') (C/o to COST ABSTRACT)						